



Customer: Colorado Cannabinoids
 Address: 6190 Logan St.
 Denver, CO 80216
 Sample ID: 1000mg 2021 All Flavors T201123001
 Matrix: Tincture
 Labnumber: 21A0217-01



Density (g/mL): 0.959

Metals Profile

Test Conditions: °C
 Extraction Technician: MF
 Analytical Chemist: MF

Extraction Date(s)	Analysis Date(s)
1/11/2021	1/19/2021

Metals (ICP/MS)	Method Code	Results	Units
Arsenic	ICPMS.1	<20.0	ppb
Cadmium	ICPMS.1	<10.0	ppb
Lead	ICPMS.1	<5.00	ppb
Mercury	ICPMS.1	<5.00	ppb

Limits for metals vary greatly depending on usage of the sample. Altitude Consulting recommends researching federal and state regulatory limits.

Gary Brook - Laboratory Director - 1/20/2021

Reporting Limits will vary based on sample extraction weight used for the analysis.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity.



Customer: Colorado Cannabinoids
 Address: 6190 Logan St.
 Denver, CO 80216
 Sample ID: 3000mg 2021 All Flavors T201123002
 Matrix: Tincture
 Labnumber: 21A0217-02



Density (g/mL): 0.959

Metals Profile

Test Conditions: °C
 Extraction Technician: MF
 Analytical Chemist: MF

Extraction Date(s)	Analysis Date(s)
1/11/2021	1/19/2021

Metals (ICP/MS)	Method Code	Results	Units
Arsenic	ICPMS.1	<20.0	ppb
Cadmium	ICPMS.1	<10.0	ppb
Lead	ICPMS.1	<5.00	ppb
Mercury	ICPMS.1	<5.00	ppb

Limits for metals vary greatly depending on usage of the sample. Altitude Consulting recommends researching federal and state regulatory limits.

Gary Brook - Laboratory Director - 1/20/2021

Reporting Limits will vary based on sample extraction weight used for the analysis.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity.